### IN THE CLAIMS

Please cancel Claims 10,13, 19, 24, 29, 31, 35, 37, 38, 39.

Please amend Claims 1, 3, 4, 5, 9, 11, 12, 14, 15, 16, 17, 18, 20, 21, 22, 23, 25, 30, 32, 33, 34, 36.

Please add new claims 40 through 45.

### AMENDMENTS TO THE CLAIMS

Claim 1. (Currently Amended) A Compound of the structural formula I: Formula I

(a) R1 is selected from the group consisting of hydrogen,  $C_1$ — $C_8$ —alkyl,  $C_3$ — $C_6$ —eycloalkyl, aryl— $C_0$ —4—alkyl, heteroaryl— $C_0$ —4—alkyl, amino $C_1$ — $C_4$ alkyl,  $C_2$ — $C_6$ —cycloalkylaryl— $C_0$ —2—alkyl, arylhetero $C_1$ — $C_8$ alkyl,—CHC(O) $C_1$ — $C_4$ —alkoxy,  $C_0$ —4—alkyl— $C_0$ —4—alkyl, aryl— $C_0$ —4—alkyl, heteroaryl— $C_0$ —4—alkyl, amino $C_1$ — $C_8$  alkyl,  $C_2$ — $C_6$ —cycloalkylaryl— $C_0$ —2—alkyl, arylhetero $C_1$ — $C_8$ alkyl,—CHC(O) $C_1$ — $C_4$  alkoxy,  $C_0$ —4—alkyl— $C_0$ —2—alkyl—and—CH2— $C_0$ —R15—R16—are each independently unsubstituted or substituted with from one to three substituents each independently selected from the group consisting of R1'; and wherein R15 is O or NH and R16 is  $C_1$ — $C_2$ —alkyl—or benzyl, which  $C_1$ — $C_2$ —alkyl—or benzyl—are each unsubstituted or substituted with from one to three substituents each independently selected from the group consisting of R16'; or R1 and R2 together form a ring selected from the group consisting of piperidine, piperazine, and dihydroisoquinoline wherein said piperidine, piperazine and

dihydroisoquinoline is unsubstituted or substituted with from one to three substituents each independently selected from the group consisting of C1-C4 alkyl, phenyl, halophenyl, trifluromethylphen, methylphenyl, acetglphenyl, benzyl, halobenzyl, benzoyl, halobenzoyl, trifluoromethylbenz, methylbenzoyl, methoxybenzoyl, acetylbenzoyl, biphenylmethylene, (phenyl)(halophenyl) methyle, and bihalophenylmethylem.

- (b) R1' and R2' are each independently selected from a group consisting of  $C_1$ - $C_5$  alkyl,  $C_3$ - $C_6$  cycloalkyl,  $C_1$ - $C_5$  alkoxy, aryl $C_0$ - $C_2$ alkoxy, halo $C_1$ - $C_3$ alkyl, halo, aryl, - $C(O)C_1$ - $C_5$ alkyl, -C(O)-aryl, halo $C_1$ - $C_5$ alkyloxy, aryl $C_1$ - $C_5$ alkyl, and biaryl $C_1$ - $C_5$ alkyl; and which -C(O)-aryl is unsubstituted or substituted with from one to three substituents each independently selected from the group consisting of halo,  $C_1$ - $C_5$  alkyl, halo $C_1$ - $C_5$  alkyl,  $C_1$ - $C_5$  alkoxy, and - $C(O)C_1$ - $C_5$ alkyl; and which  $C_1$ - $C_5$  alkyl, aryl $C_1$ - $C_5$ alkyl, biaryl $C_1$ - $C_5$ alkyl, and aryl are each independently unsubstituted or substituted with from one to three substituents each independently selected from the group consisting of halo,  $C_1$ - $C_8$ alkyl, aryl, halo $C_1$ - $C_5$  alkyl, trihalo $C_1$ - $C_3$ alkyl,  $C_1$ - $C_5$ alkoxy, and aryl $C_1$ - $C_5$ alkyl; and which aryl is unsubstituted or substituted with from one to three substituents each independently selected from the group consisting of halo,  $C_1$ - $C_8$ alkyl, aryl, halo $C_1$ - $C_5$  alkyl, trihalo $C_1$ - $C_5$ alkyl,  $C_1$ - $C_5$ alkyl, aryl, halo $C_1$ - $C_5$ alkyl, trihalo $C_1$ - $C_5$ alkyl,  $C_1$ - $C_5$ alkyl, aryl, halo $C_1$ - $C_5$ alkyl, trihalo $C_1$ - $C_5$ alkyl,  $C_1$ - $C_5$ alkoxy, and aryl $C_1$ - $C_5$ alkyl;
- (c) R2 is selected from the group consisting of C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>3</sub>-C<sub>6</sub> cycloalkyl, aryl-C<sub>0-4</sub>-alkyl, heteroaryl-C<sub>0-4</sub>-alkyl, hetoC<sub>1</sub>-C<sub>6</sub>cycloalkylaryl, hetoC<sub>1</sub>-C<sub>6</sub>cycloalkylarylC1-C4alkyl, aminonoC<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>3</sub>-C<sub>6</sub> cycloalkylaryl-C<sub>0-2</sub>-alkyl, arylheteroC<sub>1</sub>-C<sub>8</sub>alkyl, C<sub>0-4</sub>-alkyl-C(O)heteroC<sub>1</sub>-C<sub>8</sub>alkyl, -CH(C(O)OCH<sub>3</sub>)benzyl, and -CH<sub>2</sub>-C(O)-R15''-R16'', and which C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>3</sub>-C<sub>6</sub> cycloalkyl, aryl-C<sub>0-4</sub>-alkyl, hetoC<sub>1</sub>-C<sub>6</sub>cycloalkylaryl, hetoC<sub>1</sub>-C<sub>6</sub>cycloalkylarylC1-C4alkyl, heteroaryl-C<sub>0-4</sub>-alkyl, aminoC<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>3</sub>-C<sub>6</sub> cycloalkylaryl-C<sub>0-2</sub>-alkyl, arylheteroC<sub>1</sub>-C<sub>8</sub>alkyl, C<sub>0-4</sub>-alkyl-C(O)heteroC<sub>1</sub>-C<sub>8</sub>alkyl, and -CH<sub>2</sub>-C(O)-R15''-R16'' are each independently unsubstituted or substituted with from one to three substituents each independently selected from the group consisting of R2';
  - (d) R15" is O or NH;
- (e) R16'' is  $C_1$ - $C_2$  alkyl or benzyl which  $C_1$ - $C_2$  alkyl and benzyl are each unsubstituted or substituted with from one to three substituents each independently selected from the group consisting of R16';
- (f) R1 and R2 together may form a heterocyclic ring which heterocyclic ring is unsubstituted or substituted with from one to three substituents each independently selected from the group consisting of R1' and which heterocyclic ring is optionally fused with an aryl;

- (g) E is selected from the group consisting of C(R3)(R4)A,  $(CH_2)_n$  COOR13, aryl- $C_0$  4-alkyl, thio  $C_1$ - $C_4$ -alkyl, thioaryl, aryl $C_1$ - $C_4$ alkoxy,  $C_1$ - $C_4$ alkoxy,  $C_1$ - $C_4$ alkyl, aminoaryl, and amino  $C_1$ - $C_4$ alkyl; and which  $(CH_2)_n$ -COOR13, aryl- $C_0$ -4-alkyl, thio- $C_1$ - $C_4$ -alkyl, thioaryl,  $C_1$ - $C_4$ alkoxyaryl,  $C_1$ - $C_4$ alkoxy $C_1$ - $C_4$ alkyl, aminoaryl, and amino $C_1$ -4alkyl are each independently unsubstituted or substituted with from one to three substituents each independently selected from the group consisting of E';
- (h) R7' and R7'' are each independently selected from the group consisting of  $C_1$ - $C_4$  alkyl and  $C_1$ - $C_4$  haloalkyl;
- (i) n and m are each independently selected from the group consisting of 0, 1, 2 and 3;
- (j) A is selected from the group consisting of (CH<sub>2</sub>)<sub>m</sub> COOR14, C<sub>1</sub>-C<sub>3</sub>alkylnitrile, carboxamide, sulfonamide, acylsulfonamide and tetrazole, and which sulfonamide, acylsulfonamide and tetrazole are each independently unsubstituted or substituted with from one to three substituents each independently selected from the group consisting of A';
- (k) A' is a group consisting of  $C_1$ - $C_4$ alkyl,  $C_1$ - $C_4$  haloalkyl, heteroaryl, and aryl, and wherein heteroaryl and aryl are each independently unsubstituted or substituted with from one to three substituents each independently selected from the group consisting of halo,  $C_1$ - $C_5$  alkyl,  $C_1$ - $C_5$  haloalkyl,  $C_1$ - $C_5$  alkoxy, and -C(O)  $C_1$ - $C_5$  alkyl;
- (1) R3 is selected from the group consisting of H,  $C_1$ - $C_5$  alkyl,  $C_1$ - $C_5$  alkenyl, and  $C_1$ - $C_6$  alkoxy;
- (m) R4 is selected from the group consisting of H, halo,  $C_1$ - $C_5$  alkyl,  $C_1$ - $C_6$  alkoxy,  $C_3$ - $C_6$  cycloalkyl, aryl  $C_0$ - $C_4$  alkyl, and  $C_0$ -4alkoxyaryl, and which  $C_1$ - $C_5$  alkyl,  $C_1$ - $C_5$  alkoxy,  $C_3$ - $C_6$  cycloalkyl, aryl  $C_0$ - $C_4$  alkyl, and  $C_0$ -4alkoxyaryl are each independently unsubstituted or each independently substituted with from one to four substituents each independently selected from R4'; or R3 and R4 are combined to form a  $C_3$ - $C_6$  cycloalkyl;
- (n) R5 and R6 are each independently selected from the group consisting of hydrogen,  $C_1$ - $C_8$  alkyl, aryl- $C_{0-4}$ -alkyl, heteroaryl- $C_{0-4}$ -alkyl,  $C_3$ - $C_6$  cycloalkylaryl- $C_{0-2}$ -alkyl,  $C_3$ - $C_6$  cycloalkyl- $C_{0-2}$ -alkyl, and -CH<sub>2</sub>-C(O)-R17-R18, and which  $C_1$ - $C_8$  alkyl, aryl- $C_{0-4}$ -alkyl, heteroaryl- $C_{0-4}$ -alkyl,  $C_3$ - $C_6$  cycloalkylaryl- $C_{0-2}$ -alkyl,  $C_3$ - $C_6$  cycloalkyl- $C_{0-2}$ -alkyl, and -CH<sub>2</sub>-C(O)-R17-R18 are each independently unsubstituted or substituted with from one to four substituents each independently selected from the group consisting of R5';

- (o) E', R4', R5', and R13'' are each independently a group consisting of C1-C5 alkyl, C1-C5 alkoxy, C1-C5 haloalkyl, C1-C5 haloalkoxy, nitro, cyano, CHO, hydroxy, C<sub>1</sub>-C<sub>4</sub> alkanoic acid, phenyl, aryloxy, SO<sub>2</sub>R7', SR7'', arylC<sub>0</sub>-C<sub>2</sub>alkoxy, C1-C6alkylcarboxamido, and COOH;
- (p) R16' is a group consisting of halo,  $C_1$ - $C_8$ alkyl, aryl, haloalkyl, trihalo $C_1$ - $C_3$ alkyl,  $C_1$ - $C_5$ alkoxy, and aryl $C_1$ - $C_5$ alkyl;
- (q) R17 and R18 are each independently selected from  $C_1$ - $C_8$  alkyl, aryl- $C_{0-4}$ -alkyl, heteroaryl- $C_{0-4}$ -alkyl,  $C_3$ - $C_6$  cycloalkylaryl- $C_{0-2}$ -alkyl, and  $C_3$ - $C_6$  cycloalkyl- $C_{0-2}$ -alkyl;
- (r) R13 and R14 are each independently is selected from the group consisting of hydrogen, C1-C4alkyl, aryl, and arylmethyl, and which C1-C4alkyl are each independently unsubstituted or independently substituted with from one to three substituents each independently selected from the group consisting of R13' and which arylmethyl and aryl are each independently unsubstituted or independently substituted with from one to three substituents each independently selected from the group consisting of R14';
- (s) R13' is a group consisting of  $C_1$ - $C_5$  alkyl,  $C_3$ - $C_6$  cycloalkyl,  $C_1$ - $C_5$  haloalkyl,  $C_1$ - $C_5$  alkoxy, aryloxy, halo, aryl,  $-C(O)C_1$ - $C_5$ alkyl, -C(O)-aryl, halo $C_1$ - $C_5$ alkyloxy, aryl  $C_1$ - $C_5$  alkyl, and  $C_1$ - $C_5$  alkylbiaryl, and which -C(O)aryl, aryl, aryl  $C_1$ - $C_5$  alkyl, and  $C_1$ - $C_5$  alkylbiaryl are each independently unsubstituted or substituted with from one to three substituents each independently selected from the group consisting of R13''; and
- (t) R14' is a group consisting of halo, C1-C8alkyl,  $C_1$ - $C_5$  haloalkyl,  $C_1$ - $C_5$  alkoxy, and  $arylC_0$ - $C_4$ alkyl; or
  - (u) a pharmaceutically acceptable salt thereof.
  - 2. (Original) A compound as claimed by Claim 1 of the structural Formula II:

П

wherein R19 is selected from the group consisting of hydrogen, C1-C4alkyl, aryl, and arylmethyl, wherein the alkyl, aryl and arylmethyl are each unsubstituted or substituted with from one to three substituents each independently selected from R14'.

3. (Currently Amended) A compound as claimed by any one of Claims 1 to 2 that is of the following structural formula III:

Ш

wherein R19 is selected from the group consisting of hydrogen, C1-C4alkyl, aryl, and arylmethyl, wherein the alkyl, aryl and arylmethyl are each unsubstituted or substituted with from one to three substituents each independently selected from R14'.


- 4. (Currently Amended) A compound as claimed by any one of Claims 1 to 3 wherein R1 is selected from the group consisting of hydrogen. C<sub>4</sub>-C<sub>4</sub>-alkyl, and arylC<sub>0</sub>-C<sub>4</sub>alkyl; R2 is selected from the group consisting of arylC<sub>0</sub>-C<sub>4</sub>alkyl, and heteroarylC<sub>0</sub>-C<sub>4</sub>alkyl.
- 5. (Currently Amended) A compound as claimed by any one of Claims 1 to 4 wherein R2 is selected from the group consisting of  $arylC_0$ -C<sub>4</sub>alkyl,  $C_1$ -C<sub>8</sub> alkyl, heteroarylC<sub>0</sub>-C<sub>4</sub>alkyl,  $C_3$ -C<sub>6</sub> cycloalkyl,  $C_0$ -C<sub>4</sub>alkyl-C(O)-heteroC<sub>1</sub>-C<sub>8</sub> alkyl, arylheteroC<sub>1</sub>-C<sub>8</sub>alkyl, wherein each of said R2 is unsubstituted or substituted by one or two substituents each independently selected from the group consisting of phenyl, halophenyl, phenoxy, halo, haloC<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, and C<sub>3</sub>-C<sub>6</sub> cycloalkyl.
- 6. (Original) A compound as claimed by Claim 5 wherein R2 is  $arylC_0-C_4alkyl$  wherein the aryl is phenyl or napthyl, and the  $C_0-C_4alkyl$  is selected from the group consisting of methyl, ethyl and not present, that is  $C_0$  alkyl.
- 7. (Original) A compound as claimed by Claim 5 wherein R2 is heteroarylC<sub>0</sub>-C<sub>4</sub>alkyl, and said heteroarylC<sub>0</sub>-C<sub>4</sub>alkyl is unsubstituted or substituted with from one to three substituents each independently selected from R2'; and wherein the heteroaryl is selected from the group consisting of pyridine, thiazole, benzothiazole, and thiadiazole; and the alkyl is selected from the group consisting of methyl, ethyl and not present, that is C<sub>0</sub> alkyl.

- 8. (Original) A compound as claimed by Claim 5 wherein R2 is arylheteroC<sub>1</sub>-C<sub>8</sub>alkyl, wherein the arylheteroC<sub>1</sub>-C<sub>8</sub>alkyl is unsubstituted or substituted with from one to three substituents each independently selected from the group consisting of R2'; wherein the aryl group is phenyl, and the heteroatom is selected from the group consisting of nitrogen, sulfur and oxygen.
- 9. (Currently Amended) A compound as claimed by any one of Claims 1 to 8 wherein the R2 group is substituted with one or two substituents each independently selected from the group consisting of methyl, ethyl, t-butyl, fluorine, chlorine, bromine, trifluoromethyl, methoxyl, ethoxyl, phenyl, and phenoxyl.
  - 10. (Canceled)
- 11. (Currently Amended) A compound as claimed by Claim 10 1 wherein said piperidine and piperazine is fused with a phenyl to form a bicyclic ring.
- 12. (Currently Amended) A compound as claimed by any one of Claims 1, to 9.5-or/Claims 7 to 9 wherein R2 is unsubstituted or substituted heteroarylC0-C4alkyl; wherein said heteroaryl is selected from the group consisting of:

- 13. (Canceled).
- 14. (Currently Amended) A compound as claimed by any one of Claims 1 to 3, or 9 or 13 wherein R2 is -CH(C(O)OCH<sub>3</sub>)benzyl.
- 15. (Currently Amended) A compound as claimed by any one of Claims 1 to 14 12 or Claim 4 wherein R6 is selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>4</sub> alkyl, and aryl-

C<sub>0-4</sub>-alkyl, wherein the alkyl and arylalkyl are each independently substituted with from one to three substituents each independently selected from the group consisting of R5'.

- 16. (Currently Amended) A compound as claimed by any one of Claims 1 to 15 13 15 wherein R5 is H or methyl.
- 17. (Currently Amended) A compound as claimed by any one of Claims 1 to 14 12 or 16 14 or Claim 16 wherein R6 is C<sub>1</sub>-C<sub>3</sub> alkyl.
- 18. (Currently Amended) A compound as claimed by any one of Claims- 17 1 to 14 12 or 16 to 17 14 to 15, wherein R6 is methyl.
  - 19. (Canceled)
- 20. (Currently Amended) A compound as claimed by any one of Claims 1 or 4 to 18-16-wherein R5 is hydrogen or methyl, R6 is  $C_1$ - $C_3$  alkyl, and E is C(R3)(R4)A, and R3 is  $C_1$ - $C_3$ alkoxy.
- 21. (Currently Amended) A compound as claimed by any one of Claims 1 or 4 to 19-16 wherein E is C(R3)(R4)A and A is C(O)OR26; R26 is H or C<sub>1</sub>-C<sub>3</sub>alkyl.
- 22. (Currently Amended) A compound as claimed by any one of Claims 1, 4, 5, 10, or 15 to 20 13 to 18 that is of the structural formula IV:



IV

wherein R11 is selected from the group consisting of aryl, -C(O)aryl, halo $C_1-C_5$ alkyloxy,  $C_1-C_5$  alkylaryl,  $C_1-C_5$  alkylbiaryl, aryloxy, and C1-C6 alkyl, wherein the aryl, -C(O)aryl, halo $C_1-C_5$ alkyloxy,  $C_1-C_5$  alkylaryl,  $C_1-C_5$  alkylbiaryl, and C1-C6 alkyl are each independently unsubstituted or each independently substituted with from one to three substituents each independently selected from the group consisting of R1'.

23. (Currently Amended) A compound as claimed by any one of Claims 1 to 5, 10, 3 or 15 to 20 13 to 18-that is of the structural formula V:

wherein R12 is selected from the group consisting of aryl, aryloxy, -C(O)aryl, halo $C_1$ - $C_5$ alkyloxy,  $C_1$ - $C_5$  alkylaryl,  $C_1$ - $C_5$  alkylbiaryl, and C1-C6 alkyl, wherein the aryl, -C(O)aryl, halo $C_1$ - $C_5$ alkyloxy,  $C_1$ - $C_5$  alkylaryl,  $C_1$ - $C_5$  alkylbiaryl, and C1-C6 alkyl are each independently unsubstituted or each independently substituted with from one to three substituents each independently selected from the group consisting of R1'.

# 24. (Canceled)

25. (Currently Amended) A compound as claimed by any one of Claims 1, 4, 5, 10, or 13 to 18 12 to 16 that is of the structural formula VII:

VII

wherein wherein R12 is selected from the group consisting of aryl, aryloxy, -C(O)aryl, halo $C_1$ - $C_5$ alkyloxy, aryl $C_1$ - $C_5$  alkyl,  $C_1$ - $C_5$  alkylbiaryl, and C1-C6 alkyl, wherein the aryl, -C(O)aryl, aryloxy, halo $C_1$ - $C_5$ alkyloxy,  $C_1$ - $C_5$  alkylaryl,  $C_1$ - $C_5$  alkylbiaryl, and C1-C6 alkyl are each independently unsubstituted or each independently substituted with from one to three substituents each independently selected from the group consisting of R1'; R25 is selected from the group consisting of C1-C4alkyl, halo, haloC1-C3alkyl, C1-C5 alkoxy, and phenyl.

26. (Original) A compound as claimed by Claim 1 which is selected from the group consisting of:

(2S,1'R)-2-Ethoxy-3-(4-{1'-[2-(4-phenoxy-phenyl)-ethylcarbamoyl]-ethoxy}-phenyl)-propionic acid; (2S,1'R)-2-Ethoxy-3-(4-{1'-[2-(4-ethyl-phenyl)-ethylcarbamoyl]-ethoxy}-phenyl)-propionic acid;(2S,1'R)-2-ethoxy-3-(4-{1'-[2-(4-trifluoromethyl-phenyl)-ethylcarbamoyl]-ethoxy}-phenyl)-propionic acid;

(2S,1'R)-2-ethoxy-3-(4-{1'-[2-(2-ethoxy-phenyl)-ethylcarbamoyl]-ethoxy}-phenyl)-propionic acid;

(2S,1'R)-2-ethoxy-3-{4-[1'-(3-trifluoromethyl-benzylcarbamoyl)-ethoxy]-phenyl}-propionic acid;

(2S,1'R)-2-ethoxy-3-{4-[1'-(3-fluoro-5-trifluoromethyl-benzylcarbamoyl)-ethoxy]-phenyl}-propionic acid;

(2S,1'R)-3-(4-{1'-[(biphenyl-3-ylmethyl)-carbamoyl]-ethoxy}-phenyl)-2-ethoxy-propionic acid;

(2S,1'R)-3-(4-{1'-[2-(3-chloro-phenyl)-ethylcarbamoyl]-ethoxy}-phenyl)-2-ethoxy-propionic acid;

- $(2S,1'R)-2-ethoxy-3-(4-\{1'-[2-(3-fluoro-phenyl)-ethylcarbamoyl]-ethoxy\}-phenyl)-propionic acid;\\$
- (2S,1'R)-2-ethoxy-3-(4-{1'-[2-(2-fluoro-phenyl)-ethylcarbamoyl]-ethoxy}-phenyl)-propionic acid;
- (2S,1'R)-3-(4-{1'-[2-(2,4-dichloro-phenyl)-ethylcarbamoyl]-ethoxy}-phenyl)-2-ethoxy-propionic acid;
- $(2S,1'R)-3-(4-\{1'-[2-(2,6-dichloro-phenyl)-ethylcarbamoyl]-ethoxy\}-phenyl)-2-ethoxy-propionic acid;$
- $(2S,1'R)-3-(4-\{1'-[2-(2-chloro-phenyl)-ethylcarbamoyl]-ethoxy\}-phenyl)-2-ethoxy-propionic acid; (2S,1'R)-3-(4-\{1'-[2-(4-tert-butyl-phenyl)-ethylcarbamoyl]-ethoxy\}-phenyl)-2-ethoxy-propionic acid; (2S,1'R)-3-(4-\{1'-[2-(4-tert-butyl-phenyl)-ethylcarbamoyl]-ethoxy)-phenyl)-2-ethoxy-propionic acid; (2S,1'R)-3-(4-\{1'-[2-(4-tert-butyl-phenyl)-ethylcarbamoyl]-ethoxy)-phenyl)-2-ethoxy-propionic acid; (2S,1'R)-3-(4-\{1'-[2-(4-tert-butyl-phenyl)-ethylcarbamoyl]-ethoxy)-phenyl)-2-ethoxy-propionic acid; (2S,1'R)-3-(4-\{1'-[2-(4-tert-butyl-phenyl)-ethylcarbamoyl]-ethoxy)-phenyl)-2-ethoxy-propionic acid; (2S,1'R)-3-(4-\{1'-[2-(4-tert-butyl-phenyl)-ethylcarbamoyl]-ethoxy-phenyl)-2-ethoxy-propionic acid; (2S,1'R)-3-(4-\{1'-[2-(4-tert-butyl-phenyl)-ethylcarbamoyl]-ethoxy-phenyl)-2-ethoxy-propionic acid; (2S,1'R)-3-(4-\{1'-[2-(4-tert-butyl-phenyl)-ethylcarbamoyl]-ethoxy-phenyl)-2-ethoxy-propionic acid; (2S,1'R)-3-(4-\{1'-[2-(4-tert-butyl-phenyl)-ethylcarbamoyl]-ethylcarbamoyl]-ethylcarbamoyl-phenyl-2-ethoxy-propionic acid; (2S,1'R)-3-(4-\{1'-[2-(4-tert-butyl-phenyl)-ethylcarbamoyl-ethoxy-phenyl-2-ethoxy-propionic acid; (2S,1'R)-3-(4-\{1'-[2-(4-tert-butyl-phenyl-2-ethylcarbamoyl-ethylcarbamoyl-ethoxy-phenyl-2-ethoxy-phenyl-2-ethylcarbamoyl-e$
- $(2S,1'R)-2-ethoxy-3-\{4-[1'-(4-fluoro-benzylcarbamoyl)-ethoxy]-phenyl\}-propionic acid; \\ (2S,1'R)-2-ethoxy-3-\{4-[1'-(4-trifluoromethyl-benzylcarbamoyl)-ethoxy]-phenyl\}-propionic acid; \\ (2S,1'R)-2-ethoxy-3-\{4-[1'-(4-trifluoromethyl-benzylcarbamoyl)-ethoxy]-phenyl\}-propionic acid; \\ (2S,1'R)-2-ethoxy-3-\{4-[1'-(4-trifluoromethyl-benzylcarbamoyl)-ethoxy]-phenyl\}-propionic acid; \\ (2S,1'R)-2-ethoxy-3-\{4-[1'-(4-trifluoromethyl-benzylcarbamoyl)-ethoxy]-phenyl\}-propionic acid; \\ (2S,1'R)-2-ethoxy-3-\{4-[1'-(4-trifluoromethyl-benzylcarbamoyl)-ethoxy]-phenyl}-phenyl-pheny$
- (2S,1'R)-3-{4-[1'-(4-tert-butyl-benzylcarbamoyl)-ethoxy]-phenyl}-2-ethoxy-propionic acid;(2S,1'R)-3-{4-[1'-(4-tert-butyl-phenylcarbamoyl)-ethoxy]-phenyl}-2-ethoxy-propionic acid;(2S,1'R)-3-{4-[1'-(4-trans-tert-butyl-cyclohexylcarbamoyl)-ethoxy]-phenyl}-2-ethoxy-propionic acid;
- (2S)-3-{4-[1-(4-tert-butyl-cyclohexylcarbamoyl)-1-methyl-ethoxy]-phenyl}-2-methoxy-propionic acid;
- (2S)-2-methoxy-3-(4-{1-methyl-1-[2-(4-phenoxy-phenyl)-ethylcarbamoyl]-ethoxy}-phenyl)-propionic acid;
- $(2S)-3-(4-\{1-[2-(2-ethoxy-phenyl)-ethylcarbamoyl]-1-methyl-ethoxy\}-phenyl)-2-methoxy-propionic acid;\\$
- 2-methoxy-3-(4-{1-methyl-1-[2-(3-trifluoromethyl-phenyl)-ethylcarbamoyl]-ethoxy}-phenyl)-propionic acid;
- (2S)-2-methoxy-3-{4-[1-methyl-1-(3-trifluoromethyl-benzylcarbamoyl)-ethoxy]-phenyl}-propionic acid; (2S)-3-(4-{1-[2-(2-chloro-phenyl)-ethylcarbamoyl]-1-methylethoxy}-phenyl)-2-methoxy-propionic acid;
- (2S)-3-(4-{1-[(biphenyl-3-ylmethyl)-carbamoyl]-1-methyl-ethoxy}-phenyl)-2-methoxy-propionic acid;
- (2S)-3-(4-{1-[2-(2,5-dimethoxy-phenyl)-ethylcarbamoyl]-1-methyl-ethoxy}-phenyl)-2-methoxy-propionic acid;

- (2S)-3-(4-{1-[2-(2-fluoro-phenyl)-ethylcarbamoyl]-1-methyl-ethoxy}-phenyl)-2-methoxy-propionic acid;
- (2S)-2-ethoxy-3-(4-{1-methyl-1-[2-(3-trifluoromethyl-phenyl)-ethylcarbamoyl]-ethoxy}-phenyl)-propionic acid;
- (2S)-2-ethoxy-3-{4-[1-(3-fluoro-5-trifluoromethyl-benzylcarbamoyl)-1-methylethoxy]-phenyl}-propionic acid;
- $(2S)-3-(4-\{1-[2-(2-chloro-phenyl)-ethylcarbamoyl]-1-methyl-ethoxy\}-phenyl)-2-ethoxy-propionic acid; \\ (2S)-3-(4-\{1-[(biphenyl-3-ylmethyl)-carbamoyl]-1-methyl-ethoxy\}-phenyl)-2-ethoxy-propionic acid; \\ (2S)-3-(4-\{1-[(biphenyl-3-ylmethyl)-carbamoyl]-1-methyl-ethoxy]-phenyl-2-ethoxy-propionic acid; \\ (2S)-3-(4-\{1-[(biphenyl-3-ylmethyl)-carbamoyl]-1-methyl-ethoxy]-phenyl-2-ethoxy-propionic acid; \\ (2S)-3-(4-\{1-[(biphenyl-3-ylmethyl)-carbamoyl]-1-methyl-ethoxy]-phenyl-2-ethoxy-propionic acid; \\ (2S)-3-(4-\{1-[(biphenyl-3-ylmethyl)-carbamoyl]-1-methyl-ethoxy-phenyl-2-ethoxy-propionic acid; \\ (2S)-3-(4-\{1-[(biphenyl-3-ylmethyl)-carbamoyl]-1-methyl-ethoxy-phenyl-2-ethoxy-propionic acid; \\ (2S)-3-(4-\{1-[(biphenyl-3-ylmethyl)-carbamoyl]-1-methyl-ethoxy-phenyl-2-ethoxy-p$
- (2S)-3-(4-{1-[2-(3-chloro-phenyl)-ethylcarbamoyl]-1-methyl-ethoxy}-phenyl)-2-ethoxy-propionic acid;
- (2S)-3-(4-{1-[2-(2,5-dimethoxy-phenyl)-ethylcarbamoyl]-1-methyl-ethoxy}-phenyl)-2-ethoxy-propionic acid;
- (2S)-2-ethoxy-3-(4-{1-[2-(2-fluoro-phenyl)-ethylcarbamoyl]-1-methyl-ethoxy}-phenyl)-propionic acid;
- (2S)-3-{3-[1-(4-tert-butyl-cyclohexylcarbamoyl)-1-methyl-ethoxy]-phenyl}-2-methoxy-propionic acid;
- (2S)-3-{3-[1-(3-fluoro-5-trifluoromethyl-benzylcarbamoyl)-1-methyl-ethoxy]-phenyl}-2-methoxy-propionic acid;
- (2S)-3-(3-{1-[(biphenyl-3-ylmethyl)-carbamoyl]-1-methyl-ethoxy}-phenyl)-2-methoxy-propionic acid;
- (2S)-3-(3-{1-[2-(3-chloro-phenyl)-ethylcarbamoyl]-1-methyl-ethoxy}-phenyl)-2-methoxy-propionic acid;
  - (2S)-2-methoxy-3-{4-[(1-phenyl-ethylcarbamoyl)-methoxy]-phenyl}-propionic acid;
- (2S)-3-(3-{1-[2-(2,4-dichloro-phenyl)-ethylcarbamoyl]-1-methyl-ethoxy}-phenyl)-2-methoxy-propionic acid;
- (2S)-3-(3-{1-[2-(2,6-dichloro-phenyl)-ethylcarbamoyl]-1-methyl-ethoxy}-phenyl)-2-methoxy-propionic acid;
- (2S)-3-(4-{1-[2-(2,4-dichloro-phenyl)-ethylcarbamoyl]-1-methyl-ethoxy}-phenyl)-2-methoxy-propionic acid;
- (2S)-3-(4-{1-[2-(2,4-dichloro-phenyl)-ethylcarbamoyl]-1-methyl-ethoxy}-phenyl)-2-ethoxy-propionic acid;
- (2S)-3-(4-{1-[2-(2,6-dichloro-phenyl)-ethylcarbamoyl]-1-methyl-ethoxy}-phenyl)-2-ethoxy-propionic acid;

- (2S)-2-ethoxy-3-(4-{1-[2-(4-ethyl-phenyl)-ethylcarbamoyl]-1-methyl-ethoxy}-phenyl)-propionic acid;
- (2S)-2-ethoxy-3-(4-{1-[2-(2-ethoxy-phenyl)-ethylcarbamoyl]-1-methyl-ethoxy}-phenyl)-propionic acid;
- 2-Ethoxy-3-{4-[1-(3-trifluoromethyl-benzylcarbamoyl)-ethoxy]-phenyl}-propionic acid;
- 2-Ethoxy-3-{4-[1-(5-fluoro-3-trifluoromethyl-benzylcarbamoyl)-ethoxy]-phenyl}-propionic acid;
  - 2-Ethoxy-3-{4-[1-(3-phenyl-benzylcarbamoyl)-ethoxy]-phenyl}-propionic acid;
- 2-Ethoxy-3-{4-[1-(4-phenoxy-phenylethylcarbamoyl)-ethoxy]-phenyl}-propionic acid;
- 2-Ethoxy-3-{4-[1-(3-trifluoromethyl-phenylethylcarbamoyl)-ethoxy]-phenyl}-propionic acid;
- 3-(4-{1-[2-(2,6-Dichloro-phenyl)-ethylcarbamoyl]-ethoxy}-phenyl)-2-ethoxy-propionic acid;
- 2-Ethoxy-3-(4-{1-[2-(4-ethyl-phenyl)-ethylcarbamoyl]-ethoxy}-phenyl)-propionic acid;
- $2-Ethoxy-3-(4-\{1-[2-(4-ethyl-phenyl)-ethylcarbamoyl]-ethoxy\}-phenyl)-propionic acid;\\$
- 3-(4-{Cyclohexyl-[2-(4-ethyl-phenyl)-ethylcarbamoyl]-methoxy}-phenyl)-2-ethoxy-propionic acid;
- 2-Ethoxy-3-(4-{1-[2-(4-ethyl-phenyl)-ethylcarbamoyl]-2-phenyl-ethoxy}-phenyl)-propionic acid; and
- (2S,1'R)-2-ethoxy-3-{4-[1'-(2-thiophen-2-yl-ethylcarbamoyl)-ethoxy]-phenyl}-propionic acid; or pharmaceutically acceptable salts thereof.
- 27. (Original) A compound as claimed by Claim 1 wherein the compound is selected from the group consisting of
- (2S,1'R)-3-{4-[1'-(4-tert-butyl-cyclohexylcarbamoyl)-ethoxy]-phenyl}-2-ethoxy-propionic acid;
- (2S,1'R)-2-ethoxy-3-(4-{1'-[(thiophen-2-ylmethyl)-carbamoyl]-ethoxy}-phenyl)-propionic acid;
- (2S,1'R)-2-ethoxy-3-{4-[1'-(2-thiophen-2-yl-ethylcarbamoyl)-ethoxy]-phenyl}-propionic acid; or

pharmaceutically acceptable salts thereof.

28. (Original) A compound as claimed by Claim 1 wherein the compound is

; or a pharmaceutically acceptable salt thereof.

- 29. (Canceled)
- 30. (Currently Amended) A pharmaceutical composition, comprising a pharmaceutically acceptable carrier and at least one compound as claimed by any one of Claims 1–29 or a pharmaceutically acceptable salt thereof.
  - 31. (Canceled)
- 32. (Currently Amended) A method of treating diabetes mellitus in a mammal, comprising the step of administering to the mammal a therapeutically effective amount of at least one compound of Claims 1–29 or a pharmaceutically acceptable salt thereof.
- 33. (Currently Amended) A method of preventing diabetes mellitus in a mammal, comprising the step of administering to the mammal an effective amount of at least one compound of Claims 1–29 or a pharmaceutically acceptable salt thereof.
- 34. (Currently Amended) A method of treating Syndrome X in a mammal, comprising the step of administering to the mammal a therapeutically effective amount of at least one compound of Claims 1–29 or a pharmaceutically acceptable salt thereof.
  - 35. (Canceled)
- 36. (Currently Amended) A compound or pharmaceutically acceptable salt thereof according to any one of Claims 1 through 29 for use as a medicine.
  - 37. (Canceled)

### PCT Serial No. PCT/US03/16207

38. (Canceled)

39. (Canceled)

40. (New Claim) A compound of the formula

; or a pharmaceutically acceptably salt thereof.

# 41. (New Claim) A Compound of the formula

Wherein R1 is selected from the group consisting of hydrogen,  $C_1$ - $C_4$ alkyl and aryl $C_0$ - $C_4$ alkyl; R2 is selected from the group consisting of aryl $C_0$ - $C_4$ alkyl; or a pharmaceutical acceptable salt thereof.

# 42. (New Claim) A compound as claimed by Claim 1 that is of the formula:

or a pharmaceutically acceptable salt thereof.

- 43. (New Claim) A compound as claimed by any one of Claims 1, or 42 wherein the compound is a pharmaceutically acceptable salt.
- 44. (New Claim) <u>A compound of Claim 1 that is (2S)-3-(4-{[2-(2,6-dichlorobenzylsulfanyl)-ethylcarbamoyl]-methoxy}-phenyl)-2-methoxy-propionic acid.</u>
- 45. (New Claim) A pharmaceutical composition comprising a pharmaceutically acceptable carrier and at least one compound as claimed by Claim 42 or 44.